

ONIX SERIES

TRALERT® PRODUCT LEAFLET




Onix Series

The LED worklights in the Onix series are described by many of our partners as the ideal all-round LED worklight. It is used in every area of the vehicle.

RFT lens technology

The work lights in the Onix series are equipped with RFT lens technology. This technology utilises Reflector Facing Technology (RFT), in which the LEDs are positioned so that they shine in the direction of the reflector and not directly outwards. This ensures significantly higher light output efficiency and better beam control. In addition, these robust LED worklights have a wide voltage range (9-36V), a dust and waterproof housing and a clear PMMA lens.




TRALERT® Onix Series Art. WF-3027)

Specifications:

- 2880 lumens
- Flood beam
- 50cm cable + Deutsch-connector
- 9-36V multivoltage
- 6x 3W LEDs
- Dimensions: 157 x 43,7 x 60mm
- 2,04A at 12V / 1,40A at 24V
- 64 lux at 10m / 1 lux at 73m

- E CE
- R10 2Y
- IP69K




TRALERT® Onix Series (Art. TRSW12273FB)

Specifications:

- 4680 lumens
- Flood beam
- 40cm cable + Deutsch-connector
- 9-36V multivoltage
- 4x 10W LEDs
- Dimensions: 81 x 81 x 65mm
- 3,25A at 12V / 1,78A at 24V
- 10 lux at 38m / 1 lux at 134m

- E CE
- R10 2Y
- IP69K




TRALERT® Onix Series (Art. TRSW12274FB)

Specifications:

- 1136 lumens
- Flood beam
- 40cm cable + Deutsch-connector
- 9-36V multivoltage
- 8x 1,5W LEDs
- Dimensions: 128 x 64 x 47,5mm
- 1,34A at 12V / 0,61A at 24V
- 9 lux at 10m / 0,25 lux at 57m
- Beam angle 50°

- E CE
- R10 IP68
- 2Y




TRALERT® Onix Series (Art. TRSW12028FB)

Specifications:

- 2272 lumens
- Flood beam
- 40cm cable + Deutsch-connector
- 9-36V multivoltage
- 16x 1,5W LEDs
- Dimensions: 128 x 52mm
- 2,73A at 12V / 1,20A at 24V
- 13 lux at 10m / 0,25 lux at 76m
- Beam angle 45°

- E CE
- R10 IP68
- 2Y




TRALERT® Onix Series (Art. TRSW12275FB)

Specifications:

- 2272 lumens
- Flood beam
- 40cm cable + Deutsch-connector
- 9-36V multivoltage
- 16x 1,5W LEDs
- Dimensions: 128 x 114 x 48,5mm
- 2,73A at 12V / 1,20A at 24V
- 13 lux at 10m / 0,25 lux at 76m
- Beam angle 45°

- E CE
- R10 IP68
- 2Y



Three colours

The top version of the TRALERT® Onix series: the WF-6059WRA. This high-performance LED work light has the same efficient RFT lens technology as the rest of the series, but as a unique feature it also has a position light. This position light can be switched to three colours: red, white and amber. This makes the WF-6059RWA the ideal choice if you are not only looking for a robust lamp to illuminate your work area, but also want to look as stylish as possible.



TRALERT® Onix Series (Art. WF-6059RWA)

Specifications:

- 5948 lumens
- Flood beam
- Three colour position light
- 400cm cable
- 9-30V multivoltage
- 36V peak voltage resistant
- 4x 15W LEDs (60W)
- Dimensions: 92,6 x 109,3 x 63mm
- 3,33A at 12V / 1,71A at 24V
- 40 lux at 40m / 1 lux at 80m

