




TRALERT® ATLAS SERIES

The crowd favourite from the range, now also with warning light unit.

The Atlas Series is TRALERT®'s best-selling LED driving light. These popular-sized warning lights feature duo-color daytime running lights and powerful driving beam to perform in all conditions. Now also with R65 LED warning lights: the Atlas 220+ and 320+.



Complete your truck with the TRALERT® Atlas 320 LED driving light (Art. WD-4830). This popular-sized LED driving light is equipped with powerful LEDs with a total light output of 3000 lumens. In addition, the Atlas 320 features duo-color daytime running lights, making this spotlight a great upgrade for your truck in terms of looks and functionality.


This LED driving light is made for maximum performance in all conditions. This is reflected in its IP value of IP69k, for example. This means it is high-pressure spray resistant. EMC interference suppression is also of the highest level. This makes the Atlas 320 very suitable for all modern trucks.

Certificates & Warranty:

- E
- CE
- R148
- R149
- R10
- CSPR C.5
- IP69K
- 2Y

Supplied as standard:

- 300cm cable
- Wiring diagram
- Manual
- Mounting bracket
- Other mounting supplies



All functionalities in a popular format LED driving light: the TRALERT® Atlas 320+ (Art. WD-6060A). This LED driving light is equipped with powerful LEDs with a total light output of 6000 lumens. In addition, the Atlas 320+ is equipped with duo-color daytime running lights and an R65-certified LED warning light, making separate warning lights on your roof bracket unnecessary.

This LED driving light is made for maximum performance in all conditions. This is reflected in its IP value of IP69k, for example. This means it is high-pressure spray resistant. EMC interference suppression is also of the highest level. This makes the Atlas 320+ very suitable for all modern trucks.

Certificates & Warranty:

- E
- CE
- R148
- R149
- R10
- R65
- CSPR C.3
- IP69K
- 2Y

Supplied as standard:

- 300cm cable
- Wiring diagram
- Manual
- Mounting bracket
- Other mounting supplies

WD-4830 product features

Connection:	Open wire end
Light image:	Driving beam
Lumens:	3000 lumens
Voltage:	9-36V
Wattage:	48 watts
Power consumption:	24V - 1.40A
IP value:	IP69K
Dimensions:	244.5 x 138.4 x 110mm
Cable length:	300cm
Light range:	1 lux at 275m
Light colour:	White / amber
Lens material:	Lexan polycarbonate
Housing material:	Graphene
Housing shape:	Oval
Housing colour:	Black
EMC interference suppression:	CISPR25 CLASS 5 / ECE-R10
Certificates:	ECE-R10, ECE-R148, ECE-R149
Warranty:	2 years
Reference number:	25



WD-6060A product features

Connection:	Open wire end
Light image:	Driving beam, R65 warning lights
Lumens:	6000 lumens
Voltage:	9-36V
Wattage:	60 watts
Power consumption:	24V - 1.40A
IP value:	IP69K
Dimensions:	244.5 x 138.4 x 110mm
Cable length:	300cm
Light range:	1 lux at 340m
Light colour:	White / amber
Lens material:	Polycarbonate
Housing material:	Graphene
Housing shape:	Oval
Housing colour:	Black
EMC interference suppression:	CISPR25 CLASS 3 / ECE-R10
Certificates:	ECE-R65, ECE-R148, ECE-R149
Warranty:	2 years
Reference number:	25





The latest addition to the TRALERT® Atlas driving lights line: the Atlas 220 block light (Art. WD-5860). A modern version with duo-color daytime running lights of the classic and popular block lamp driving light. With a light output of 6,000 lumens and retaining the classic design, this driving light is particularly suitable for giving your truck a contemporary look and at the same time greatly improving visibility.

This LED driving light is made for maximum performance in all conditions. This is reflected in its IP value of IP69k, for example. This means it is high-pressure spray resistant. EMC interference suppression is also of the highest level. This makes the Atlas 220 very suitable for all modern trucks.

Certificates & Warranty:



Supplied as standard:

- 300cm cable
- Wiring diagram
- Manual
- Mounting bracket
- Other mounting supplies

WD-5860 product features

Connection:	Open wire end
Light image:	Driving beam, daytime running lights
Lumens:	6000 lumens
Voltage:	10-30V
Wattage:	58 watts
Power consumption:	12V - 2.85A / 24V - 1.38A
IP value:	IP69K
Dimensions:	242 x 132 x 89,2mm
Cable length:	300cm
Light range:	1 lux at 280m
Light colour:	White / amber
Lens material:	Polycarbonate dark-look lens cover
Housing material:	Graphene
Housing shape:	Rectangular
Housing colour:	Black
EMC interference suppression:	CISPR25 CLASS 4 / ECE-R10
Certificates:	ECE-R10, ECE-R148, ECE-R149
Warranty:	3 years
Reference number:	25



The second new addition to the TRALERT® Atlas driving light line: the Atlas 220+ block light (Art. WD-5860A). A modern version with duo-color daytime running lights of the classic and popular block lamp spotlight, to which this variant also adds an R65 certified LED warning light. With a light output of 6,000 lumens and retaining its classic design, this driving light is particularly suitable for giving your truck a contemporary look while greatly improving visibility and signalling.

This LED driving light is made for maximum performance in all conditions. This is reflected in its IP value of IP69k, for example. This means it is high-pressure spray resistant. EMC interference suppression is also of the highest level and all functions including the warning light are fully certified. This makes the Atlas 220+ very suitable for all modern trucks.

Certificates & Warranty:



Supplied as standard:

- 300cm cable
- Wiring diagram
- Manual
- Mounting bracket
- Other mounting supplies

WD-5860A product features

Connection:	Open wire end
Light image:	Driving beam, DRL, warning lights
Lumens:	6000 lumens
Voltage:	10-30V
Wattage:	58 watts
Power consumption:	12V - 2.85A - 24V - 1.38A
IP value:	IP69K
Dimensions:	242 x 132 x 89,2mm
Cable length:	300cm
Light range:	1 lux at 280m
Light colour:	White / amber
Lens material:	Polycarbonate dark-look lens cover
Housing material:	Graphene
Housing shape:	Rectangular
Housing colour:	Black
EMC interference suppression:	CISPR25 CLASS 4 / ECE-R10
Certificates:	ECE-R65, ECE-R148, ECE-R149
Warranty:	3 years
Reference number:	25

